

EC DECLARATION OF CONFORMITY

We,

AIPHONE CO., LTD.

2-18, JINNO-CHO, ATSUTA-KU, NAGOYA, JAPAN,

explain in own responsibility, that the product:

Kind of equipment: Intercom equipment


Type designation:

BG-10C, TAR-3, JDW-C, MAW-B

is in compliance with following norm(s) or documents:

2004/108/EC Directive

EN 55022:2006+A1:2007, EN55024:1998+A1:2001+A2:2003



Nagoya, Japan 1st July, 2009

T. Hotta

General Manager, Engineering Headquarters

AIPHONE CO., LTD.

TECHNICAL DOCUMENTATION

MODEL: BG-10C, TAR-3, JDW-C, MAW-B

1st July, 2009

AIPHONE. Co., Ltd.

2-18, Jinno-cho, Atsuta-ku, Nagoya, Japan
Phone : 81-52-682-5361, Fax : 81-52-682-3897

AIPHONE S.A.S

ZAC du Bois Chaland – 6 rue des Pyrenees Lisses 91056 Evry CEDEX, France
Phone : 33-1-6911-4600, Fax : 33-1-6911-4610

1 . Object of Documentation

BG-10C, TAR-3, JDW-C, MAW-B

2 . Outline of the Apparatus

- BG-10C adaptor provides three functions for your LEF or LEF-C communication system.
 1. All-call announcement from any LEF-C Room master Station (& LEF-10S, surface-mount and LEF-1C sub master station)
 2. Music distribution (all-call & music can be received at all masters & LEF-1C, LEF-C, CN subs)
 3. Chime distribution for door station call-in
- TAR-3 relay is used to activate an external doorbell or signaling device when a door station calls in. It can be used for call extension on the IE, MY (for door call), IE-8MD, YKX, TB-M and AT systems.
- JDW-C Motion-sensor camera is used with JA PanTilt Hands-free Color Video System.
- MAW-B relay is designed to turn on external light in Aiphone video intercome systems: MA-1A and MA-4U with MA-DC door station.

3 . 2004/108/EC EU Harmonized standards

The object of documentation is in conformity with the requirements of the following documents:

- EN55022:2006+A1:2007
- EN55024:1998+A1:2001+A2:2003

4 . Test Report

Refer to the "Declaration of Conformity List".

5 . Operation

Refer to manuals.

6 . Circuit Diagram

Refer to the "Circuit Diagram List".

7 . Additional Information

None