

EC DECLARATION OF CONFORMITY

We,

AIPHONE CO., LTD.

2-18, JINNO-CHO, ATSUTA-KU, NAGOYA, JAPAN,

explain in own responsibility, that the product:

Kind of equipment: Intercom equipment


Type designation:

RY-3DL, DE-UR, IF-DA, IE-FY, PD-1, PD-2, RY-AC/A, RY-PA

is in compliance with following norm(s) or documents:

2004/108/EC Directive

EN 55014-1:2006, EN 55014-2:1997+A1:2001



Nagoya, Japan 1st July, 2009

T. Hotta

General Manager, Engineering Headquarters

AIPHONE CO., LTD.

TECHNICAL DOCUMENTATION

MODEL: RY-3DL, DE-UR, IF-DA, IE-FY, PD-1, PD-2,
RY-AC/A, RY-PA

1st July, 2009

AIPHONE.Co.,Ltd.

2-18,Jinno-cho,Atsuta-ku,Nagoya,Japan
Phone : 81-52-682-5361, Fax : 81-52-682-3897

AIPHONE S.A.S

ZAC du Bois Chaland – 6 rue des Pyrenees Lisses 91056 Evry CEDEX, France
Phone : 33-1-6911-4600, Fax : 33-1-6911-4610

1 . Object of Documentation

RY-3DL, DE-UR, IF-DA, IE-FY, PD-1, PD-2, RY-AC/A, RY-PA

2 . Outline of the Apparatus

- RY-3DL is an adaptor that can add selective door release feature on the JF, KB, MK & IE-2AD.
- DE-UR is an adaptor that can add a door station, audio or Pan Tilt video on TD Phone Selective Call Intercom.
- IE/IF Series door stations are designed for outdoor use to replace a doorbell, and to provide communication with an inside intercom station.
- PD- is an adaptor that can add zone paging feature on the TD-H.
- RY-AC/A relay is used to activate an external doorbell, buzzer, or signaling device when a call is received. It can be used for call extension on the LEF, TD-H, TD-Z & IE-8MD systems.
- RY-PA relay is designed to activate a door lock in LEF & VC system.

3 . 2004/108/EC EU Harmonized standards

The object of documentation is in conformity the requirements of the following documents:

- EN55014-1:2006
- EN55014-2:1997+A1:2001

4 . Test Report

Refer to the "Declaration of Conformity List".

5 . Operation

Refer to manuals.

6 . Circuit Diagram

Refer to the "Circuit Diagram List".

7 . Additional Information

None